

Product Overview AGS



Our partnership with renowned industry peers have produced some of the most exciting new ideas you'll find for:
Security, Telescoping, Stacking, Pocket, U-Channel & Fire rated solutions.



Transwall


Security Doors

- Designed for high volume areas
- Multiple rail profiles available
- Double and single door option
- Schlage M450P – 1000 lbs. force
- Multiple rail profiles available
4", 6", & 10"




Telescoping Doors

- 10' max glazing size, weight restricted restricted
- Synchronized opening system
- Ball bearing system for quiet and soft opening
- Ceiling Hung System




Multiple Door Options

- 2 Door - Max 100" Opening
- 3 Door - Max 105" Opening
- 4 Door - Max 120" Opening



Folding/Stacking Door Systems

- Versatile sliding glass walls
- Inline or curved configurations
- Incorporation with Transwall product
- Multiple rail profiles available
- Ceiling mounted
- Can accommodate fixed swing panels
- Weight restricted
- No floor track option
- Framed system option



U Channel

- Minimalist design
- 1", 1 3/4", 2" Track profiles available
- Recessed application
- Surface mounted application
- Accommodates 1/4", 3/4", and 1/2" glass



Fire Rated Doors

- Inward & outward opening option
- Rating of 20, 40, 60 & 90 minutes
- STC Rating 41-46
- Butt glazed panel option
- Panic Hardware
- Arrives fully assembled





