



Product Overview ZWALL

Transwall 800.441.9255

ZWALL



Transwall

ZWALL



Transwall

ZWALL



Transwall

ZWALL



Transwall

ZWALL



Transwall

ZWALL



Transwall

ZWALL



Transwall

ZWALL

Panels:	3 11/16" Thick Steel Panel Tiles Monolithic Panel Joints Non-Progressive Heights up to 12' Panel Width 12" to 48" Removeable Tiles Integral Vertical Slotting
STC:	47
Base Trim:	Flush with Integral Floor Track
Ceiling Trim:	Flush
Door Frames:	Unitized Door Frame Continuous Sound Seal, Butt Hinge or Sliding Commercial Grade Hardware
Door Options:	Metal or Solid Wood Veneer, Flush, Half or Full Glass, Painted Metal, Painted Wood, Stained Wood
Panel Options:	Solid, Full Glass / Divided Glass, Clerestory, Half Glass, Painted Steel, Fabric Covered Steel, Wood Veneer Tiles & Trim, Clear Tempered Glass, White Laminated Glass, Architectural Glass
Electrical:	Switches available in Solid Panels or Posts, Duplex Receptacles in Base or Panel Tile, Voice/ Data in Base or Panel Tile, Cabling paths accessible from both sides, Available Modular (Plug & Play) Electric
Lead Time:	6 weeks after receipt of approved shop drawings & field measurements
Manufacturing Location:	West Chester, Pennsylvania, USA