

C WALLTM

Corporate

Moveable

Demountable

Reconfigurable

Architectural Walls

Transwall

C_{orporate} WALL



Extraordinary Reconfigurable and
Moveable Architectural Walls . . .
because change is inevitable.


Corporate Wall pays for itself if you
move or reconfigure your office just
once; plus you receive the benefits of
a fast, easy and convenient transition.

More importantly, we'll be there, from
initial concept, to installation, to the
next time you need to change.






Panels



Doors



Construction

Panels:

- 2 1/4" Thick
- 20 GA Steel Panel Faces
- 5/8" Wide Reveal (at Panel Joints)
- Non-Progressive
- Heights up to 10'-2"
- Panel Widths 12" to 60"
- Integral Vertical Slotting

Acoustic Performance:

- 43 STC per ASTM E-90

Fire Rating:

- Class A per ASTM E-84

Strength:

- Meets all requirements of ANSI/BIFMA x 5.6

Base Trim Options:

- Recessed or Projecting

Ceiling Channel Options:

- Recessed or Projecting

Door Frames:

- Unitized One-Piece Welded Door Frame
- Continuous Sound Seal
- Butt Hinge or Sliding
- Commercial Grade Hardware

Attributes

Panels:

- Solid
- Full Glass / Divided Glass
- Clerestory / Half Glass
- Painted Steel
- Fabric Covered Steel
- Clear Tempered Glass
- White Laminate Glass
- Architectural Glass

Doors:

- Metal or Solid Core Wood Veneer
- Flush, Half or Full Glass
- Painted Metal
- Painted Wood
- Stained Wood

Electrical:

- Switches available in Door Frames
- Duplex Receptacles in Base
- Voice / Data in Base
- Base Wireway accessible from both sides
- Available Vertical Internal Wire Raceways

Note:

- Complete Architectural Details & Specifications available at: transwall.com





C_{orporate} WALL

Environmental Impact

100% Recyclable

LEED™ Materials & Resources:

Recycled Content Credit 4.1:
Sum of the post-consumer recycled content + ½ pre-consumer content constitutes at least 10% of the total value of the materials.

Recycled Content Credit 4.2:
Sum of the post-consumer recycled content + ½ pre-consumer content constitutes at least 20% of the total value of the materials.

Regional Materials Credit 5.1:
Minimum of 20% of the combined value of materials and products are manufactured regionally within a radius of 500 miles.

Customer Service

As Transwall clients have known for over 30 years, we assume an ownership stake in every aspect of every project. To us, direct support by the manufacturer of the design, construction, fit-out, move-in and life-cycle changes are as important as engineering and producing the finest wall systems in the business.

Transwall

1220 Wilson Drive
PO Box 1930
West Chester PA 19380
800.441.9255
610.429.1400
610.429.1411 fax
e-mail: info@transwall.com
www.transwall.com



Printed on Recycled Paper
10% Post-Consumer Waste